



Subsea

Normand Energy

Vessel specs

Built	2007
Design	VS 4220
Flag	NIS
LOA	130m
Breadth Moulded	28m
Cargo Deck Area	2000m ²
Accommodation	100 Persons (40 x 1 Person, 30 x 2 Persons)
ROV	No
Yard	ULSTEIN / Yard No. 277
Main Class	+1A1, CLEAN, COMF-V(3)C(3), CRANE, SF, DK(+), DYNPOS-AUTRO, E0, HELDK-SH, ICE-C, SF
Classification Society	DNV GL
Dynamic Positioning	DP 3 from Kongsberg
Helideck	Diameter 22,20m, 12,8mt Sikorsky 92
Draft (max)	8,20m + 0m Skeg/Nozzle
Deck Cargo Capacity	5150mt (5M. AB. 1ST. DK - High deckload Departure) / 7520mt (2M. AB. 1ST. DK - DWL Departure) mt (CoG 1,0m above main deck)
Deck Strength	10mt/m ²
Deadweight	14120mt (d= 8,20m)
Moonpool	51,84m ² (7,2m x 7,2m)
Main Crane	SWL 250mt@ 75m - Single fall - AHC
Main Crane Aux winch	SWL 20mt@ 40m - Single fall - AHC

Commercial Contacts

24 HRS COMMERCIAL DUTY PHONE: +47 52 85 65 30

Subsea and Renewable

Norway

+47 52 85 65 00

commercial.csv@solstad.com

Hans Knut Skår Jr.

Executive Vice President

[+47 416 37 300](tel:+4741637300)

[+47 52 85 65 31](tel:+4752856531)

hans.knut.skar@solstad.com

Trond Nilsen

Commercial Director

[+47 52 85 65 35](tel:+4752856535)

trond.nilsen@solstad.com

Torstein Alvestad

Commercial Officer

[+47 995 65 016](tel:+4799565016)

[+47 52 85 65 90](tel:+4752856590)

torstein.alvestad@solstad.com

John Steinar Olsen-Sund

Commercial Officer - Renewable Energy

[+47 913 15 016](tel:+4791315016)

[+47 52 85 95 35](tel:+4752859535)

john.steinar.olsen-sund@solstad.com

Jarle Larsson

Commercial Officer

[+47 971 67 269](tel:+4797167269)

[+47 52 85 95 57](tel:+4752859557)

jarle.larsson@solstad.com

Tommy Sandtorv

Commercial Manager - Renewable Energy

[+47 988 36 578](tel:+4798836578)

[+47 52 85 65 85](tel:+4752856585)

tommy.sandtorv@solstad.com

Singapore

Chai Guan Sheng

Commercial Manager

[+65 9647 9955](tel:+6596479955)

[+65 6507 6818](tel:+6565076818)

guan.sheng.chai@solstad.com