



Subsea

Normand Installer

Vessel specs

Built	2006
Design	VS 4204
Flag	NIS
LOA	123,65m
Breadth Moulded	28m
Total Accommodation	100 Persons
ROV	Yes
Yard	Ulstein Verft / Yard No. 271
Cargo Deck Area	1272m ²
Main Class	+1A1, SF, E0, DK(+), COMF-V(3)C(3), CLEAN, DYNPOS-AUTRO, ICE-C, TMON, CRANE, HELDK-SH, Tug
Classification Society	DNV GL
Dynamic Positioning	DP 3 from Kongsberg
Helideck	Diameter19,5m, Super Puma L2
Draft (max)	8,2m + 0m Skeg/Nozzle
Deck Cargo Capacity	4300mt (CoG 1,0m above main deck)
Deck Strength	10mt/m ²
Deadweight	9511,8mt (d= 0m)
Moonpool	56,25m ² (7,5m x 7,5m)
ROV system	2 WROV
Main Crane	1 x SWL 250mt@ (2 fall)11m - Single fall - AHC - CT:N/A- Sealift:N/A - Personnel lift: N/A - placed on N/A - Wire lenght: TBCm - Wire diameter: TBCmm

Commercial Contacts

24 HRS COMMERCIAL DUTY PHONE: +47 52 85 65 30

Subsea and Renewable

Norway

+47 52 85 65 00

commercial.csv@solstad.com

Hans Knut Skår Jr.

Executive Vice President

[+47 416 37 300](tel:+4741637300)

[+47 52 85 65 31](tel:+4752856531)

hans.knut.skar@solstad.com

Trond Nilsen

Commercial Director

[+47 52 85 65 35](tel:+4752856535)

trond.nilsen@solstad.com

Torstein Alvestad

Commercial Officer

[+47 995 65 016](tel:+4799565016)

[+47 52 85 65 90](tel:+4752856590)

torstein.alvestad@solstad.com

John Steinar Olsen-Sund

Commercial Officer - Renewable Energy

[+47 913 15 016](tel:+4791315016)

[+47 52 85 95 35](tel:+4752859535)

john.steinar.olsen-sund@solstad.com

Jarle Larsson

Commercial Officer

[+47 971 67 269](tel:+4797167269)

[+47 52 85 95 57](tel:+4752859557)

jarle.larsson@solstad.com

Tommy Sandtorv

Commercial Manager - Renewable Energy

[+47 988 36 578](tel:+4798836578)

[+47 52 85 65 85](tel:+4752856585)

tommy.sandtorv@solstad.com

Singapore

Chai Guan Sheng

Commercial Manager

[+65 9647 9955](tel:+6596479955)

[+65 6507 6818](tel:+6565076818)

guan.sheng.chai@solstad.com